


We provide top quality
pumps and sensors



AdBlue and Nox Catalogue 2024

Transaxle



<https://www.transaxlebrakecalipers.com>

v.2024



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

Scan Here To Access Our Product Catalogues Online



Contents

05	AdBlue Urea Filter
	05 – AdBlue Urea Filter
06	AdBlue Pumps
	06 – DAF
	07 – Iveco
	08 – John Deere
	08 – MAN
	09 – Mercedes
	09 – Cummins
	10 – Scania
	10 – Caterpillar
	11 – Renault
	11 – Volvo
12	Air Humidity Sensor
	12 – Air Humidity Sensor
13	Dosing Modules
	13 – Dosing Modules
15	NOx Sensors
	15 – DAF
	18 – Isuzu
	19 – Iveco
	21 – MAN
	23 – Mercedes
	27 – Scania
	29 – Renault
	30 – Volvo
	31 – Hino
	32 – Cummins
	33 – Offroad

Telephone: 01922471300

Fax: 01922725072

Email: info@transaxle-ltd.co.uk

Address: Transaxle Ltd, Bescot House, Walstead Road West,
Walsall, West Midlands, WS5 4NY



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

Scan Here To Access Our Product Catalogues Online



AdBlue Old Core Returns

Our policy is that we collect old Adblue free of charge, once a minimum of three old units are ready to be returned for credit. For less than five Adblue pumps we ask you to box each pump individually, making sure its securely packed. We will send our courier DPD to collect them. For more than five pumps, we ask you to strap them down to a pallet and we will send pallet line into collect them. Please ensure you always send returns notes with your goods.

Acceptance For Returned Old Core Calipers

1. Returned used products should be the original equipment (OE). Copies of OE products will not be accepted!
2. The products used must be complete, completely assemblies. Burned products or any used products that have been damaged or destroyed due to improper handling during disassembly, operation or transportation will not be accepted. For example: damaged or burned electronical socket, damaged spigot/stud socket, liquid entering the electronic part, damage to the housing.
3. No previous attempts to rebuild the element have been made.
4. Rust on the outer surface of the elements is allowed. Internal surfaces and components may only show signs of rust. Large traces of rust due to improper storage are unacceptable.



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

Scan Here To Access Our Product Catalogues Online



Core Surcharge

We provide reconditioned brake calipers that meet the original manufacturer's standards. To recondition your old parts, we require your brake caliper. Upon returning the old part, we'll refund the deposit if it meets certain conditions, such as being free from damage and retaining its original shape. Refunds are processed within 15 working days, and returns are accepted within 12 months. After this period, refunds are not possible. Choose one of the surcharge options:

Option 1: Without Surcharge - You send back your old core to Transaxle Limited and only pay a fair price. This helps in remanufacturing parts and contributes to environmental preservation.

Option 2: With Surcharge - You pay the fair price plus a surcharge for the old caliper core we provide. Failure to return the old unit means forfeiting the surcharge refund.

Feel free to reach out; we may be able to locate a part for you that doesn't require returning the old unit.



AdBlue Urea Filter

Reference Number	Information	Part No	Matching System
TRX2-01	MERCEDES-BENZ	000 142 02 89 / 65553 BERGKRAFT: BK8600174 DT SPARE PARTS: 4.63628 FILTRON: UE730 HENGST FILTER: E102U D179 IMEX: IMX 001000 142 02 89 MANN-FILTER: U 58/1 KIT OREX: 109012 SAMPA: 010.874 SCT GERMANY: SC 7072 ADB STELLOX: 82-22303-SX	Hilite
TRX2-02	MERCEDES-BENZ	TRUCKTEC AUTOMOTIVE: 01.16.107 UNIFLUX FILTERS: XU13 WIX FILTERS: W74B 193 FEBI BILSTEIN: 45595 EVOBUS: 0001420090 UF104	Hilite
TRX2-03	MERCEDES-BENZ		Hilite
TRX2-04	MERCEDES-BENZ / SCANIA CUMMINS		UL2.2/ECOFIT
TRX2-05	MERCEDES-BENZ / SCANIA CUMMINS	A0001421089 / 4388378 UF106	UL2.2/ECOFIT
TRX2-06	MERCEDES-BENZ / SCANIA CUMMINS		UL2.2/ECOFIT
TRX2-07	DAF LF45 / LF55 / SCANIA / IVECO MAN TGA (2000-2013) TGL (2005-2013) / TGM (2005-2013) TGS (2007-2013) / TGX (2007-2013)	1649425 / 1674458 / 1789050 1815766 / 1819795 81154036015 / 81154036089 U6204YKIT / 154 5482 / 176 1034 179 5459 / 185 2188 / 190 7422 4 255 3548 / 4 256 1571 4 256 2233	BOSCH DENOTRONIC 1.0
TRX2-11	VOLVO / BOSCH DENOX	21496419 / 21673812 / UF101 21376693 / 3738187 / 21516229 1457-436-033 / 5303604 2888182 / 2880298	BOSCH DENOTRONIC 2.2
TRX2-13	VOLVO	21954674	BOSCH DENOTRONIC 2.2
TRX2-15	VOLVO	1457436006	BOSCH DENOTRONIC 2.0
TRX2-16	IVECO / RENAULT / VOLVO / FIAT RENAULT / KHD / MACK / CASE IH FENDT / CLARK / KNECHT MANN-FILTER / HENGST FILTER	1 457 436 006 / 07 / 08 / 09 / 10 D6006 FLEETGUARD: 3986767 FRAD: 40.60.53/30 ASAS: AS UR 3930 KIT	BOSCH DENOTRONIC 2.1



AdBlue Pumps


DAF

	Reference Number	Information	Image Reference
DAF	TRX1746-1	Bosch Denoxtronic 1 – EURO 5 Gen I Bosch: 0444010009 / 0444010020 / 0444010036 098644D002 DAF: 1674655 / 1674660 / 1693191 / 1791540	
DAF	TRX1746-2	Bosch Denoxtronic 1 – EURO 5 Gen II Bosch: 0444010012 / 0444010021 / 0444010033 0444010025 / 098644D004 DAF: 1738100 / 1746947 / 1791500 / 1791542 1818625	
CUMMINS DAF DENNIS EMITEC	TRX1705244 Fits TRX16687 Module	Emitec – EURO 5 Packing Weight = 4.67kg ADL: 660613 / 5273338RC CES: A034J233 Cummins: 4931694 / EOA9D9 / UDS2.5 / 5273338RX DAF: 1409391 / 1705244 / 5273338 Dennis: 1138505 / 1612308 Emitec: 5273338 Grundfos: 4931694 Misc: 2T2131113B / CC455H298AB	
CUMMINS DAF JOHN DEERE VOLVO	TRX1646 Fits TRX1975291 TRX16897 Module	Bosch Denoxtronic 2.2 – EURO 6 Packing Weight = 2.95kg ADL: 662102 Agrale: 60525001071001 / 6033001121007 Bosch: 0444042067 / 0444042133 / 0444042137 0444042073 / 0444042004 / 0444042014 0444042129 / 0444042136 / 0444042033 0444042003 / 0444042135 A0284793 / A052U285 Cummins: 2871880 / 2880158 / 4387305/RX / 4387658/RX 4387305 / A028Y93 DAF: 1819797 FAW: 1160010 / 116001AG682-0000 / 1161010-51B1B John Deere: RE553796 / 17011521743 Volvo: 2871880/RX / 2871879 / 1871880	
DAF TANTRA	TRX5624	Hilite Euro 6 CF / DAF XF106 – Single Plug DAF: XF106 / 2208766 / 2115624 / 5506956 / 43955016 A052Y605 / A052Y605C / A060X234 / A060T663 5505779 Cummins: 4388105 / 4388106	



AdBlue Pumps

Iveco

Reference Number	Information	Image Reference
IVECO TRX1766	Bosch Denoxtronic 1 – EURO 5 Bosch: 0444010008 / 098644D003 Iveco: 500059690 / 500061334 / 503138997 / 504200399	
IVECO TRX1856-1 Fits TRX30657 Module	Bosch Denoxtronic 2 – EURO 5 Gen I Bosch: 0444022001 / 0444022019 / 098644D106 Case IH: 84136193 Iveco: 500059692 / 500061238 / 504145103 / 504193263 504365261 Fits: Stralis / Trakker / Eurostar / Eurocargo	
FORD IVECO TRX1856-2 Fits TRX30657 Module	Bosch Denoxtronic 2.2 – EURO 5 Gen II Bosch: 0444022021 / 098644D131 Case IH: 84246892 Ford: 84246892 / DC465H297AA Iveco: 500059694 / 500061240 / 504374326 New Holland: 84246892 Steyr: 842468920 Fits: Stralis / Trakker / Eurostar / Eurocargo	
IVECO RENAULT VOLVO TRX1546	Bosch Denoxtronic 2.2 – EURO 6 Bosch: 0444042027 / 0444042031 / 0444042089 0444042142 / 0444042155 / 0444042208 0444042028 / 0444042036 / 0444042012 0444042061 / 0444042251 0444042010 / 0444042096 / 0444042097 0444042001 / 0444042150 / 0444042222 098644D217 098644D233 / DNXM/PM/24/W/S Case IH: 500059696 / 5043818680 / 050059696 05043818680 / 84481762 Fiat: 5802513619 / K5802513619 Iveco: 504381868 / 5802513619 / 5802465020 5802855457 / 58043818680 New Holland: 5802513619 / 84481762 Renault: 21574975 / 21576178 Volvo: 21574975 / 228151845 / 850211511 Isuzu: 8982264732 / 8982688120	



AdBlue Pumps

John Deere

	Reference Number	Information	Image Reference
JOHN DEERE	TRX1946	<p>Bosch Denoxtronic 2.2</p> <p>Bosch: 0444042066 / 0444042188 / 0444042189 / 0444042024 098644D234 DNOX22/PM/12/E/S / SM22E/12/E/10/B</p> <p>John Deere: DZ119474 / DZ111283 / RE552175</p>	

MAN

	Reference Number	Information	Image Reference
MAN	TRX1756-1	<p>Bosch Denoxtronic 1 – EURO 5 & 6 Gen I</p> <p>Bosch: 0444010006 / 0444010014 / 0444010015 / 0444010022</p> <p>MAN: 81154036001 / 81154036005 / 81154036021 81154036042 / 81154036088 / 81154036092</p>	
MAN	TRX1756-2	<p>Bosch Denoxtronic 1 – EURO 5 & 6 Gen II</p> <p>Bosch: 0444010011 / 0444010013 / 0444010024 / 0444010026 0444010037</p> <p>MAN: 81154036016 / 81154036028 / 81154036090 81154036098 / 81154036099</p> <p>VW: 2V5131969A</p>	
MAN	TRX9146	<p>Emitec – EURO 5 / EURO 6</p> <p>MAN: 81154036095 / 81154036097 / 81154036100 81154036115 / 81154036117 / 81154036118 81154036134 / 81154036138 / 81154036139 81154036157 / 81154039139 / 81154039146 811540361460</p>	
MAN	TRX4691	<p>AdBlue Pump Denoxtronic 2.2 – EURO 6 TGL</p> <p>Bosch: 0444062012 / 0444062002 / 0444062001</p> <p>MAN: 81154036150 / 81.15403-6150 / 81154036147 81.15403-6147</p> <p>Misc: 2V3131113</p>	



AdBlue Pumps

Mercedes

	Reference Number	Information	Image Reference
MERC	TRX9378 <u>Fits</u> TRX16683 Module	Hilite EURO 4 & 5 13150758 / HR13150758 Mercedes: A0001400078 / A0001400178 / A0001400278 A0001400378 / A0001400478 / A0001400578 A0001400978 / A0001401578 / A0001402578 A0001402778 / A0001404478 / A0001400678 Optare: 29195036	
MERC	TRX9478 (Twin)	Hilite EURO 6 – Twin Plug Mercedes: A0001407878 / A0001403978 / A0001405378 A0001405978 / A0001408178 / A0001405478	
MERC	TRX9588 (Single)	Hilite EURO 6 - Single Plug Mercedes: A0001407678 / A0001405678 / A0001407278	

AdBlue Pumps

Cummins

	Reference Number	Information	Image Reference
	TRX303018	Cummins AdBlue Pump – 24V Cummins: 5303018 / 5303585 / 5308708 / 5289921 A042P115 / 4328805	
	TRX4936201	AdBlue Doser Injector (Urea Pump Nozzle) – Cummins Euro 4 Bosch Cummins: 4936201 / R1471205750 / T13L0 DAF: 1735780 / 1735784 Bosch: 0444012003	



AdBlue Pumps

Scania

	Reference Number	Information	Image Reference
SCANIA	TRX1776	Bosch Denoxtronic 1 – EURO 5 Bosch: 0444010035 / 0444010038 / 098644D007 Scania: 1772499 / 1794992 / 1855402 / 1855403 / 1884220 1884225	
SCANIA	TRX9578	Hilite Euro 6 CF / DAF XF106 – Single Plug (10mm Longer) Scania: 2009872 / 2208766 / 2057543 / 2182737 / 2549339 2655852 / 13151615 / 2020278 / 2095808 / 2860697 0603301 / 2655857 / 2549339	

Offroad AdBlue Pumps

Caterpillar

	Reference Number	Information	Image Reference
CAT	TRX1246	24V Urea AdBlue Pump for CAT BOSCH Weichai: 612604130574 / 612640130089 Bosch: 0444043016 / 0444110011 / 0444110014 0444110012 Iveco: 5801863567 Perkins: 450-8101	



AdBlue Pumps

Renault / Volvo

	Reference Number	Information	Image Reference
RENAU VOLVO	TRX1866-1 Fits TRX30657 Module	Bosch Denoxtronic 2 – EURO 5 Gen I Bosch: 0444022002 / 0444022004 / 0444022005 0444022039 098644D103 / 098644D119 Renault: 7420766847 / 7420908735 / 7420975638 7420975695 7421002997 / 7421161862 Volvo: 20908711 / 20975638 / 21002996 / 21161861	
RENAU VOLVO	TRX1866-2 Fits TRX30657 Module	Bosch Denoxtronic 2 – EURO 5 Gen II Bosch: 0444022022 / 0444022033 / 0444022074 098644D110 Renault: 7421350673 / 7421582905 / 7421687109 7421911394 7422169013 / 7422668889 Volvo: 21350672 / 21582902 / 21687107 / 21911392 21966582 / 22169014 / 22668890 / 85020843	
IVECO RENAU VOLVO	TRX1546 Fits TRX30657 Module	Bosch Denoxtronic 2.2 – EURO 5 & 6 Bosch: 0444042027 / 0444042031 / 0444042089 0444042142 / 0444042155 / 0444042208 0444042028 / 0444042036 / 0444042012 0444042061 / 0444042251 0444042010 / 0444042096 / 0444042097 0444042001 / 0444042150 / 0444042222 098644D217 098644D233 / DNXM/PM/24/W/S Case IH: 500059696 / 5043818680 / 050059696 05043818680 / 84481762 Fiat: 5802513619 / K5802513619 Iveco: 504381868 / 5802513619 / 5802465020 5802855457 / 58043818680 New Holland: 5802513619 / 84481762 Renault: 21574975 / 21576178 Volvo: 21574975 / 228151845 / 850211511 Isuzu: 8982264732 / 8982688120	



VOLVO	TRX9519	<p>3 – Pin variation – EURO 6 (Green) Albonair</p> <p>Volvo: <u>22209519</u> / 22608244 / 22610216 / 85022215</p>	
VOLVO	TRX47045	<p>3 Pin to a 4 Pin – CONVERSION KIT (Black)</p>	
VOLVO	TRX9517	<p>4 – Pin variation – EURO 6 (Black) Albonair</p> <p>Albonair: P1205710 - E9300 Renault: 7422387866 / 7422209519 / 7422608252 / 7422610789 / 7485013805 / 7485020469 / 7485020667 / 7485021198 / 7485022216 Volvo: 21679299 / 21687873 / 21892627 / 22039620 / 22076542 / <u>22209517</u> / 22924489 / 23387854 / 23387865 / 85013391 / 85021199 / 85022215</p>	
VOLVO	TRX47046	<p>4 Pin to a 3 Pin - CONVERSION KIT (Green)</p>	



Air Humidity Sensor

DAF

	Reference Number	Information	Image Reference
DAF	TRX19935	<p>DAF Humidity Sensor</p> <p>Misc: <u>2119935</u> / 1930332 / 2020017 / 2348776</p>	



Dosing Modules

Reference Number	Information	Image Reference
DAF MAN SCANIA TRX16685	Dosing Module Bosch Bosch: 0444011005 / 0444011011 / 0444011013 0444011046 / 0444011022 / 0444011023 0444011024 / 0444011026 / 0444011015 0444011025 / 0444011006 / 0444011028 0444 DNX1/DM/24/9/S / DNX1DM249S DAF: 1674654 / 1674661 / 1647654 / 1791538 / 1791539 1819790 MAN: 51154036000 / 51154036001 Scania: 1753208 / 2001791 / 2123834 Solaris: 0000.369.549 / 0120.306.500 VW: 2V5131113A Misc: 30432780 / 2001791	
DAF TRX16687 <u>Fits</u> TRX1705244 Pump	Dosing Module – DAF EURO 6 CF / XF Bosch Bosch: 0444043007 / 0444043008 / 0444043018 0444043033 / 0444043034 / DNOX22/DM/72/S DAF: 1819798 Cummins: 2871878 / 2880156 / 2888173 / 2888174 / A028Y791 A030P707	
DAF TRX1975291 <u>Fits</u> TRX1646 Pump	Dosing Module – DAF EURO 6 LF Bosch Bosch: 0444043051 / 0444043054 / 0444043073 0444043133 / 0444043140 / 0444043053 0444043082 / 0444043135 Cummins: 5305254 / A043C088 DAF: 1975291	
JOHN DEERE TRX60468	Dosing Module – John Deere EURO 6 Bosch Bosch: 0444043045 John Deere: RE560468 AGCO: 837074845 / E842201110050 KHD: 04604141 New Holland: 47715717	
DAF TRX2115847	Bosch Dosing Module – EURO 6 DAF: 2115847 / 4377649 / A050S572 / 530157 / 5578982 1900055 / 1930222	






	Reference Number	Information	Image Reference
MERC	TRX16683 <u>Fits</u> TRX9378 Pump	Dosing Injector EURO 4 & 5 Mercedes: 0001402039 / 0001400239 / 0001400539 0001400739 / 0001402039 / 0001404139	
IVECO MERC RENAUL VOLVO	TRX30657 <u>Fits</u> TRX1546 TRX1856-1/2 TRX1866-1/2 Pump	Dosing Module Bosch Bosch: 0444021024 / 0444023001 / 0444023008 0444023016 / 0444023017 / 0444023018 0444023019 / 0444023043 / 0444023048 0444023049 / 0444023050 / 0444023053 0444023056 / 0444023057 / 044402306204 0444023067 / 0444028008 / DNX2/DM/24/3/S DNX2/DM/24/6/S / DNX2/DM/24/9/S Case IH: 47511725 / 84136421 / 84248058 / 504381866 Iveco: 504145105 / 504193284 / 504365576 / 504381866 5801730657 Mercedes: 1644900513 / A1644900513 Renault: 7420766863 / 7420766866 / 7420766868 7420908943 / 7420908956 / 7420908958 7421234246 / 7421234248 / 7421738122 7421738134 Volvo: 21234247 / 21399653 / 21738132	
MERC	TRX1405439	Dosing Module – EURO 6 Mercedes: A0001405439 / A0001405339 / A1402339 A0001403339 / A0001403939	
IVECO	TRX16897 <u>Fits</u> TRX1646 Pump	Dosing Module – Urea Pump Nozzle Bosch Bosch: 0444043162 / 0444043016 Iveco: 612640130088 / 612640130089	
SCANIA	TRX2722701	AdBlue Dosing Module Scania: 2095566 / 095566 / 2238324 / 2238325 / 2722701	







Nox Sensors

DAF

Reference Number	Information	Image Reference
TRX90001	<p>CF / LF / Cummins EURO 5</p> <p>Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 33.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1702178 / 1703687 / 1705520 / 1705572 2894940 / 5WK96675A</p>	
TRX90002	<p>CF / XF / Cummins EURO 6 - Post CAT</p> <p>Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1862931 / 1928760 / 1953530 / 2139930 4326476 / 4326769 / 4326868 / 5WK96752C 5WK96852B / 5WK97348A / A3C02726200-01</p>	
TRX90003	<p>CF / XF / Cummins EURO 6 - Pre CAT</p> <p>Length (mm): 634 Cable Length (mm): 490 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 5WK96661D / 1936258 / 1973527 / 2006245 2236408 / A3C0472020-01</p>	




	TRX90004	<p>CF / XF / Cummins EURO 6 - Pre CAT</p> <p>Length (mm): 939 Cable Length (mm): 695 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1936256 / 1973525 / 2006243 / 5WK97344B</p>	
	TRX90005	<p>CF / XF / Cummins EURO 6 - Pre CAT</p> <p>Length (mm): 939 Cable Length (mm): 695 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 2236406 / SNS0344D</p>	
	TRX90006	<p>LF / XF / 106 EURO 6 - Post CAT</p> <p>Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1710806 / 4326864 / 5WK96750C / A045S158</p>	
	TRX90007	<p>LF / XF / 106 EURO 6 - Pre CAT</p> <p>Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1952565 / 1971946 / 2872945 / 2897309 4326470 / 4326862 / 5WK96751A / 5WK96751B 5WK96751C / 9238292061</p>	




	TRX90008	<p>XF105 / CF75 / CF85 EURO 5 - Post CAT</p> <p>Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1793378 / 1836059 / 2011648 / 5WK96619B 5WK96619D / 5WK96619C</p>	
	TRX90009	<p>XF105 / CF75 / CF85 EURO 5 - Post CAT</p> <p>Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 33.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1746581 / 1793380 / 1836061 / 2011650 5WK96626C</p>	
	TRX90010	<p>XF105 / CF75 / CF85 EURO 5 - Post CAT</p> <p>Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 33.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1697586 / 1793379 / 1836060 / 2011649 5WK96628A / 5WK96628C</p>	
	TRX90011	<p>DAF NOx Sensor</p> <p>Length (mm): Cable Length (mm): Width (mm): Bore Ø (mm): Voltage (V): Thread Size: Thread Pitch: Connectors: DAF: SNS3008A / 9246272002 / 5491422</p>	



	<p>TRX90020</p>	<p>XF / DAF NOx Sensor EURO 6 – Pre CAT MX13 Engine Only</p> <p>Length (mm): Cable Length (mm): 490 Width (mm): Height (mm): Bore Ø (mm): Voltage (V): 24 Thread Size: Thread Pitch: Connectors: DAF: <u>SNS0061G</u> / 2293965</p>	
	<p>TRX93964</p>	<p>DAF NOx Sensor Euro 6 – Pre CAT</p> <p>Length (mm): Cable Length (mm): Width (mm): Height (mm): Bore Ø (mm): Voltage (V): Thread Size: Thread Pitch: Connectors: DAF: <u>2293964</u> / 2006423 / 2336406 2336406Pe</p>	

Isuzu

	Reference Number	Information	Image Reference
	<p>TRX90601</p>	<p>N75 EURO 6</p> <p>Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 28 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5 Isuzu: 47866868 / 8983023940 / <u>5WK97206A</u></p>	



Nox Sensors

Iveco

Reference Number	Information	Image Reference
TRX90101	<p>EUROCARGO / STRAILS / TECTOR</p> <p>Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 28 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5 Iveco: 8046503 / 8047374 / 41271167 / 42558451 5801273980 / 5801424181 / 5801754015 5WK96615C / 5WK96615E / 5WK96615F</p>	
TRX90102	<p>EUROCARGO / STRAILS / TECTOR / TRAKKER</p> <p>Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5 Iveco: 5801443021 / 5801754016 / 5WK96733A 5WK96733B</p>	



Nox Sensors




Iveco

Reference Number	Information	Image Reference
TRX90103	<p>EUROCARGO / STRAILS / TECTOR EURO 6</p> <p>Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5</p> <p>Iveco: 5801627703 / 5801754014 / 5WK96775A</p>	
TRX90104	<p>STRAILS / TRAKKER / BUS</p> <p>Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 28 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5</p> <p>Iveco: 5801429373 / 5801627702 / 5801777219 5WK96720 / 5WK96720A</p>	



Nox Sensors

MAN

Reference Number	Information	Image Reference
TRX90201	JETLINER / LIONS CITY / LIONS REGIO Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 6 MAN: 51154080003 / 51154080007 / 51154080016 5WK96721A / 5WK96721B	
TRX90202	JETLINER / LIONS CITY / TGM / TGL Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 6 MAN: 5115480003 / 5115480007 / 51154080016 5WK96721A / 5WK96721B	
TRX90203	NEOPLAN Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 6 MAN: 51154080012 / 51154080019 / 5WK96790	



Nox Sensors

MAN

Reference Number	Information	Image Reference
TRX90204	<p>TGA / TGS / TGX</p> <p>Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 28 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5 MAN: 51154080000 / 51154080004 / 51154080009 51154080015 / 81154080000 / 81154080004 5WK96618C / 5WK96618D</p>	
TRX90205	<p>TGL / TGM / TGS / TGX</p> <p>Length (mm): 664 Cable Length (mm): 420 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 6 MAN: 51154080011 / 51154080018 / 5WK96783 5WK96783B</p>	



Nox Sensors

Mercedes

Reference Number	Information	Image Reference
TRX90301	ACTROS / ATEGO / AXOR Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 28 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5 Mercedes: 0061537328 / 0091533628 / A0091533628 5WK96616D / 5WK96616E / 5WK96616F	
TRX90302	ACTROS / AXOR EURO 5 & 6 – Pre CAT Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0081539928 / 0101539428 / A0101539428 5WK96653C / A2C39121100-052C 5WK96652A	
TRX90303	ACTROS / ANTOS / AXOR EURO 5 & 6 – Post CAT Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0101539528 / A0101539528 / 5WK96653 5WK96653B / 5WK96653C	



Nox Sensors

Mercedes

Reference Number	Information	Image Reference
TRX90304	ACTROS / AXOR EURO 5 & 6 – Post CAT Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0091530128 / 0101539628 / A0101539628 5WK96659B / 5WK96659C	
TRX90305	ACTROS / ATEGO / CITARO – Post CAT Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0101531728 / A0101531728 / <u>5WK97332A</u> A2C87396000-01	
TRX90306	ACTROS – Post CAT Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0101531628 / A0101531628 / <u>5WK97330A</u> A2C87396200-01	



Nox Sensors

Mercedes

Reference Number	Information	Image Reference
TRX90307	ACTROS / ATEGO / CITARO – Pre CAT Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0101531528 / A0101531528 / 5WK97330A A2C87396000-01	
TRX90308	ACTROS / ANTOS / AXOR EURO 5& 6 – Pre CAT Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0081539828 / 0101539328 / A0101539328 5WK96642B / A2C39120900-042C 5WK96642 / 5WK96442A	
TRX90309	ACTROS – Pre CAT Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0101531428 / A0101531428 / 5WK97329A A2C87396000-02	



Nox Sensors



Mercedes

Reference Number	Information	Image Reference
TRX90310	SPRINTER / VITO – Post CAT Length (mm): - Cable Length (mm): 390 Width (mm): - Height (mm): - Bore Ø (mm): 8 Voltage (V): 12 Thread Size: M18 Thread Pitch: 1.5 Connectors: 5 Mercedes: 0009053403 / A0009053403 / 5WK96681D	
TRX90311	SPRINTER – Pre CAT Length (mm): - Cable Length (mm): 390 Width (mm): - Height (mm): - Bore Ø (mm): 8 Voltage (V): 12 Thread Size: M18 Thread Pitch: 1.5 Connectors: 5 Mercedes: 0009053403 / A0009053403 / 5WK96681D	
TRX90312	SPRINTER BUS 4x4 Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0009059112 / A0009059112 / SNS1048 9059112 / A3C06301500-01	
TRX90313	SPRINTER BUS 4x4 Mercedes: 5WK96682D / A0009053503 / A0035428818 A0009057000 / 0009055300	



Nox Sensors

Scania

	Reference Number	Information	Image Reference
	TRX90401	<p>Series P, G, R, T & BUS F, K, N – EURO 5</p> <p>Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 60 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Scania: 1392811 / 1782596 / 1872080 / 1908536 2020691 / 2247379 / 2296799 / 5WK96612B 5WK96612D / 5WK96612F</p>	
	TRX90402	<p>Series P, G, R, T & BUS K, N – EURO 5 & 6</p> <p>Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 60 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Scania: 0712270 / 2247378 / 2296798 / 5WK96679C</p>	



Nox Sensors

Scania

Reference Number	Information	Image Reference
TRX90403 (Metal)	<p>Series P, G, R, S, T & BUS F, K, N – EURO 6</p> <p>Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Scania: 2064767 / 2064769 / 2247381 / 2294291 2296801 / 5WK96695B / 5WK96695C</p>	
TRX90404 (Metal)	<p>Series P, G, R, S, T & BUS F, K, N – EURO 6</p> <p>Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Scania: 2064768 / 2247380 / 2294290 / 2296800 5WK96694A / 5WK96694B / 5WK96694C</p>	
TRX97400 (Plastic)	<p>Scania: 5WK97400 / 2294290</p>	
TRX97401 (Plastic)	<p>Scania: 5WK97401 / 2294291</p>	



Nox Sensors

Renault

Reference Number	Information	Image Reference
TRX90501	<p>KERAX / MAGNUM / MIDLUM / PREMIUM / SHERPA LIGHT / CAESAR</p> <p>Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 33.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Renault: 7421984358 / 7422219283 / 7422315990 7422827993 / 7485133215 / 5WK96605C 5WK96664E / 5WK96717A / 5WK96717B 5WK97371</p>	
TRX90502	<p>GAMME / KERAX / MIDLUM / PREMIUM</p> <p>Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Renault: 7421326719 / 7421691455 / 7422219284 7422315987 / 7422827995 / 5WK97372</p>	
TRX90503	<p>GAMME C, D, T, K</p> <p>Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Renault: 7421531797 / 7422219281 / 7422315988 7422827991 / 5WK97368</p>	



Nox Sensors

Volvo

Reference Number	Information	Image Reference
TRX90501	<p>B5LH / B8R / B11R / B13R – EURO 5 & 6 FE / FH / FL / FM – EURO 5 & 6</p> <p>Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 33.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Volvo: 20873117 / 20873395 / 21244501 21387788 / 21473997 / 21531794 21567736 / 21984358 / 22219283 22315990 / 22827993 / 22315990 22827993 / 5WK96605C / 5WK96664E 5WK97371 / 5WK96717A / 5WK96717B</p>	
TRX90502	<p>FE / FH / FL / FM</p> <p>Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Volvo: 21326719 / 21474015 / 21531797 21691455 / 22219284 / 22315987 22827995 / 5WK97372</p>	



Nox Sensors

Volvo

Reference Number	Information	Image Reference
TRX90503	<p>FE / FH / FL / FM</p> <p>Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Volvo: 21040930 / 21474015 / 21531797 21567737 / 22219281 / 22315988 22827991 / 5WK97368</p>	
TRX90504	<p>B5LH / TL / B8R / B11R – EURO 5 & 6</p> <p>Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Volvo: 21558128 / 22219276 / 22315986 22827992 / 5WK97373</p>	

Hino

Reference Number	Information	Image Reference
TRX90700	<p>NOx Sensor Fitted for Hino</p> <p>Length (mm): 1145 Cable Length (mm): 890 Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): 24 Thread Size: - Thread Pitch: - Connectors: - Miscellaneous: 5WK96786 / 89463-E0480</p>	



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

Scan Here To Access Our Product Catalogues Online



Nox Sensors

Cummins




	Reference Number	Information	Image Reference
	TRX97346	<p>NoX Sensor for Cummins – Gen 2.8</p> <p>Length (mm): Cable Length (mm): Width (mm): Height (mm): Bore Ø (mm): Voltage (V): 24 Thread Size: Thread Pitch: Connectors: Cummins: <u>5WK97346</u> / 4326766 / A045H138</p>	Image Pending



Offroad NoX Sensors

Reference Number	Information	Image Reference
TRX415128	<p>NoX Sensor Fitted for <u>Perkins</u> 6 Pins</p> <p>Length (mm): - Cable Length (mm): 889 Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 6 Perkins: T421092 / 441-5128 / 4415128 / 5WK96726A</p>	
TRX415127	<p>NoX Sensor Fitted for <u>Perkins</u> 6 Pins</p> <p>Length (mm): - Cable Length (mm): 886 Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 6 Perkins: 441-5127 / 4415127 / A2C10474600125B</p>	
TRX599172	<p>NoX Sensor Fitted for <u>Caterpillar</u></p> <p>Cable Length (mm): - Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): 24 Thread Size: - Thread Pitch: - Connectors: - CAT: 359-9172 / 3599172 / 5WK96726</p>	
TRX599171	<p>NoX Sensor Fitted for <u>Caterpillar</u></p> <p>Cable Length (mm): - Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): 24 Thread Size: - Thread Pitch: - Connectors: - CAT: 359-9171 / 3599171 / 5WK96725A</p>	



	TRX552183	<p>NoX Sensor Fitted for <u>John Deere Tractor</u></p> <p>Length (mm): - Cable Length (mm): - Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): 24 Thread Size: - Thread Pitch: - Connectors: - John Deere: RE552183 / 5WK96774</p>	
	TRX575062	<p>NoX Sensor Fitted for <u>John Deere</u></p> <p>Cable Length (mm): - Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): 24 Thread Size: - Thread Pitch: - Connectors: - John Deere: RE575062 / SNS352 / 5WK97352</p>	
	TRX99001	<p>NOx Sensor Fitted for <u>Liebherr</u></p> <p>Length (mm): - Cable Length (mm): 890 Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): 24 Thread Size: - Thread Pitch: - Connectors: - Liebherr: SNS0910 / 12412141</p>	
	TRX99002	<p>NOx Sensor Fitted for <u>Liebherr</u></p> <p>Length (mm): - Cable Length (mm): - Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): 24 Thread Size: - Thread Pitch: - Connectors: - Liebherr: 5WK96716 / 11008787</p>	



TRX535536	<p>NOx Sensor Fitted for <u>JCB</u></p> <p>Length (mm): - Cable Length (mm): - Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): - Thread Size: - Thread Pitch: - Connectors: - JCB: 0281006535 / 0281006536</p>	
TRX537538	<p>NOx Sensor Fitted for <u>JCB</u></p> <p>Length (mm): - Cable Length (mm): - Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): - Thread Size: - Thread Pitch: - Connectors: - JCB: 0281006537 / 0281006538</p>	
TRX533534	<p>NOx Sensor Fitted for <u>JCB</u></p> <p>Length (mm): - Cable Length (mm): - Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): - Thread Size: - Thread Pitch: - Connectors: - JCB: 0281006533 / 0281006534</p>	
TRX505506	<p>NOx Sensor Fitted for <u>JCB</u></p> <p>Length (mm): - Cable Length (mm): - Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): - Thread Size: - Thread Pitch: - Connectors: - JCB: 0281006505 / 0281006506</p>	



<p>TRX466642</p>	<p>NOx Sensor Fitted for <u>DEUTZ</u></p> <p>Length (mm): - Cable Length (mm): - Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): - Thread Size: - Thread Pitch: - Connectors: - DEUTZ: 04466642</p>	
<p>TRX96711</p>	<p>NOx Sensor Fitted for <u>Iveco</u></p> <p>Length (mm): - Cable Length (mm): - Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): - Thread Size: - Thread Pitch: - Connectors: - Iveco: <u>5WK96711C</u> / 84414466 / 84292579</p>	

Transaxle Ltd
Walstead Road West
Walsall, WS5 4NY
T: +44 1922 471300
F: +44 1922 725072
E: info@transaxle-ltd.co.uk

**We provide top quality
pumps and sensors**

<https://www.transaxlebrakecalipers.com>

Transaxle

