


**We provide top quality
pumps and sensors**



AdBlue and Nox Catalogue 2023



<https://www.transaxlebrakecalipers.com>

v.2023.1



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

Contents

03 AdBlue Urea Filter

03 – AdBlue Urea Filter

04 AdBlue Pumps

04 – DAF

05 – Iveco

06 – John Deere

06 -- MAN

07 – Mercedes

07 -- Cummins

08 – Scania

08 – Weichai

09 – Renault

09 -- Volvo

11 Dosing Modules

11 – Dosing Modules

13 NoX Sensors

13 – DAF

16 – Isuzu

17 – Iveco

19 – MAN

21 – Mercedes

25 – Scania

27 – Renault

28 – Volvo

29 – Hino

Telephone: 01922471300

Fax: 01922725072

Email: info@transaxle-ltd.co.uk

Address: Transaxle Ltd, Bescot House, Walstead Road West,
Walsall, West Midlands, WS5 4NY



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

AdBlue Urea Filter

	Reference Number	Information	Part No	Matching System
	TRX2-01	MERCEDES-BENZ	000 142 02 89 / 65553 BERGKRAFT: BK8600174 DT SPARE PARTS: 4.63628 FILTRON: UE730 HENGST FILTER: E102U D179 IMEX: IMX 001000 142 02 89 MANN-FILTER: U 58/1 KIT OREX: 109012 SAMPA: 010.874 SCT GERMANY: SC 7072 ADB STELLOX: 82-22303-SX	Hilite
	TRX2-02	MERCEDES-BENZ	TRUCKTEC AUTOMOTIVE: 01.16.107 UNIFLUX FILTERS: XU13 WIX FILTERS: W74B 193 FEBI BILSTEIN: 45595 EVOBUS: 0001420090 UF104	Hilite
	TRX2-03	MERCEDES-BENZ		Hilite
	TRX2-04	MERCEDES-BENZ / SCANIA CUMMINS	A0001421089 / 4388378 UF106	UL2.2/ECOFIT
	TRX2-05	MERCEDES-BENZ / SCANIA CUMMINS		UL2.2/ECOFIT
	TRX2-06	MERCEDES-BENZ / SCANIA CUMMINS		UL2.2/ECOFIT
	TRX2-07	DAF LF45 / LF55 / SCANIA / IVECO MAN TGA (2000-2013) TGL (2005-2013) / TGM (2005-2013) TGS (2007-2013) / TGX (2007-2013)	1649425 / 1674458 / 1789050 1815766 / 1819795 81154036015 / 81154036089 U6204YKIT / 154 5482 / 176 1034 179 5459 / 185 2188 / 190 7422 4 255 3548 / 4 256 1571 4 256 2233	BOSCH DENOTRONIC 1.0
	TRX2-11	VOLVO / BOSCH DENOX	21496419 / 21673812 / UF101 21376693 / 3738187 / 21516229 1457-436-033 / 5303604 2888182 / 2880298	BOSCH DENOTRONIC 2.2
	TRX2-13	VOLVO	21954674	BOSCH DENOTRONIC 2.2
	TRX2-15	VOLVO	1457436006	BOSCH DENOTRONIC 2.0
	TRX2-16	IVECO / RENAULT / VOLVO / FIAT RENAULT / KHD / MACK / CASE IH FENDT / CLARK / KNECHT MANN-FILTER / HENGST FILTER	1 457 436 006 / 07 / 08 / 09 / 10 D6006 FLEETGUARD: 3986767 FRAD: 40.60.53/30 ASAS: AS UR 3930 KIT	BOSCH DENOTRONIC 2.1



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

AdBlue Pumps



DAF

	Reference Number	Information	Image Reference
DAF	TRX1746-1	Bosch Denoxtronic 1 – EURO 5 Gen I Bosch: <u>0444010009</u> / 0444010020 / 0444010036 / 098644D002 DAF: 1674655 / 1674660 / 1693191 / 1791540	
DAF	TRX1746-2	Bosch Denoxtronic 1 – EURO 5 Gen II Bosch: 0444010012 / 0444010021 / <u>0444010033</u> / 0444010025 / 098644D004 DAF: 1738100 / 1746947 / 1791500 / 1791542 / 1818625	
CUMMINS DAF DENNIS EMITEC	TRX1705244	Emitec – EURO 5 ADL: 660613 / 5273338RC CES: A034J233 Cummins: 4931694 / EOA9D9 / UDS2.5 / 5273338RX DAF: 1409391 / <u>1705244</u> / 5273338 Dennis: 1138505 / 1612308 Emitec: 5273338 Grundfos: 4931694	
CUMMINS DAF JOHN DEERE VOLVO	TRX1646	Bosch Denoxtronic 2.2 – EURO 6 ADL: 662102 Agrale: 60525001071001 / 6033001121007 Bosch: 0444042067 / <u>0444042133</u> / 0444042137 / 0444042073 / 0444042004 / 0444042014 / 0444042129 / 0444042136 / 444042033 / 0444042003 / A0284793 / A052U285 Cummins: 2871880 / 2880158 / 4387305/RX / 4387658/RX / 4387305 / A028Y93 DAF: 1819797 FAW: 1160010 / 116001AG682-0000 / 1161010-51B1B John Deere: RE553796 / 17011521743 Volvo: 2871880/RX / 2871879 / 1871880	
DAF TANTRA	TRX5624	Hilite Euro 6 CF / XF106 – Single Plug DAF: XF106 / 2208766 / <u>2115624</u> / 5506956 / 43955016 / A052Y605 / A052Y605C / A060X234 / Cummins: 4388105	



AdBlue Pumps

Iveco

	Reference Number	Information	Image Reference
IVECO	TRX1766	Bosch Denoxtronic 1 – EURO 5 Bosch: 0444010008 / 098644D003 Iveco: 500059690 / 500061334 / 503138997 / 504200399	
IVECO	TRX1856-1	Bosch Denoxtronic 2 – EURO 5 Gen I Bosch: 0444022001 / 0444022019 / 098644D106 Case IH: 84136193 Iveco: 500059692 / 500061238 / 504145103 / 504193263 504365261 Fits: Stralis / Trakker / Eurostar / Eurocargo	
FORD IVECO	TRX1856-2	Bosch Denoxtronic 2.2 – EURO 5 Gen II Bosch: 0444022021 / 098644D131 Case IH: 84246892 Ford: 84246892 / DC465H297AA Iveco: 500059694 / 500061240 / 504374326 New Holland: 84246892 Steyr: 842468920 Fits: Stralis / Trakker / Eurostar / Eurocargo	
IVECO RENAULT VOLVO	TRX1546	Bosch Denoxtronic 2.2 – EURO 6 Bosch: 0444042027 / 0444042031 / 0444042089 0444042142 / 0444042155 / 0444042208 0444022021 098644D233 / DNXM/PM/24/W/S Case IH: 500059696 / 5043818680 / 050059696 05043818680 / 84481762 Fiat: 5802513619 / K5802513619 Iveco: 504381868 / 5802513619 New Holland: 5802513619 / 84481762 Renault: 21574975 Volvo: 21574975 / 228151845 / 850211511	



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

AdBlue Pumps

John Deere

	Reference Number	Information	Image Reference
JOHN DEERE	TRX1946	Bosch Denoxtronic 2.2 Bosch: 0444042066 / 0444042188 / 0444042189 / 0444042024 098644D234 DNOX22/PM/12/E/S / SM22E/12/E/10/B John Deere: DZ119474 / DZ111283 / RE552175	

MAN

	Reference Number	Information	Image Reference
MAN	TRX1756-1	Bosch Denoxtronic 1 – EURO 5 & 6 Gen I Bosch: 0444010006 / 0444010014 / <u>0444010015</u> / <u>0444010022</u> MAN: 81154036001 / 81154036005 / 81154036021 81154036042 / 81154036088 / 81154036092	
MAN	TRX1756-2	Bosch Denoxtronic 1 – EURO 5 & 6 Gen II Bosch: 0444010011 / 0444010013 / 0444010024 / <u>0444010026</u> <u>0444010037</u> MAN: 81154036016 / 81154036028 / 81154036090 81154036098 / 81154036099 VW: 2V5131969A	
MAN	TRX9146	Emitec – EURO 5 MAN: 81154036095 / 81154036097 / 81154036100 81154036115 / 81154036117 / 81154036118 81154036134 / 81154036138 / 81154036139 81154036157 / 81154039139 / <u>81154039146</u> <u>811540361460</u>	
MAN	TRX4691	AdBlue Pump Denoxtronic 2.2 – EURO 6 TGL Bosch: 0444062012 / 0444062002 / 0444062001 MAN: 81154036150 / 81.15403-6150 / 81154036147 / 81.15403-6147	



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

AdBlue Pumps

Mercedes

	Reference Number	Information	Image Reference
MERC	TRX9378	Hilite EURO 4 & 5 Mercedes: 13150758 / HR13150758 A0001400078 / A0001400178 / A0001400278 A0001400378 / A0001400478 / A0001400578 A0001400978 / A0001401578 / A0001402578 A0001402778 / A0001404478 Optare: 29195036	
MERC	TRX9478	Hilite EURO 6 – Double Plug Mercedes: A0001402378 / A0001403978 / A0001405378 A0001405578 / A0001405978 / A0001407878 A0001408178	
MERC	TRX9588	Hilite EURO 6 - Single Plug Mercedes: A0001407978 / A0001405678 / A0001407278 A0001407678	

AdBlue Pumps

Cummins

	Reference Number	Information	Image Reference
	TRX303018	Cummins AdBlue Pump – 24V Cummins: 5303018 / 5303585 / 5308708 / 5289921 A042P115 / 4328805	
	TRX4936201	AdBlue Doser Injector (Urea Pump Nozzle) – Cummins Euro 4 Bosch Cummins: 4936201 / R1471205750 / T13L0 DAF: 1735780 / 1735784 Bosch: 0444012003	



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

AdBlue Pumps

Scania

	Reference Number	Information	Image Reference
SCANIA	TRX1776	Bosch Denoxtronic 1 – EURO 5 Bosch: 0444010035 / 0444010038 / 098644D007 Scania: 1772499 / 1794992 / 1855402 / 1855403 / 1884220 / 1884225	
SCANIA	TRX9578	Hilite Euro 6 – Single Plug Scania: 2009872 / 2057543 / 2182737 / 2549339 / 2655852 / 13151615 / 2020278 / 2095808 DAF: XF106 / 2115624 / 5506956 / 43955016 / A052Y605 / A052Y605C Cummins: 4388105	

AdBlue Pumps

Weichai

	Reference Number	Information	Image Reference
WEICHAI	TRX1246	24V Urea Pump For Weichai BOSCH Weichai: 612604130574 / 612640130089 Bosch: 0444043016 / 0444110011 / 0444110014 / 0444110012	






Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

AdBlue Pumps

Renault / Volvo

	Reference Number	Information	Image Reference
RENAU VOLVO	TRX1866-1	Bosch Denoxtronic 2 – EURO 5 Gen I Bosch: 0444022002 / <u>0444022004</u> / 0444022005 / 0444022039 098644D103 / 098644D119 Renault: 7420766847 / 7420908735 / 7420975638 / 7420975695 7421002997 / 7421161862 Volvo: 20908711 / 20975638 / 21002996 / 21161861	
RENAU VOLVO	TRX1866-2	Bosch Denoxtronic 2 – EURO 5 Gen II Bosch: 0444022022 / <u>0444022033</u> / 0444022074 / 098644D110 Renault: 7421350673 / 7421582905 / 7421687109 / 7421911394 7422169013 / 7422668889 Volvo: 21350672 / 21582902 / 21687107 / 21911392 21966582 / 22169014 / 22668890 / 85020843	
IVECO RENAU VOLVO		Bosch Denoxtronic 2.2 – EURO 5 & 6 Bosch: 0444042027 / 0444042031 / 0444042089 / 0444042142 0444042155 / 0444042208 / 098644D233 DNXM/PM/24/W/S Case IH: 500059696 / 5043818680 / 050059696 / 05043818680 84481762 Fiat: 5802513619 / K5802513619 Iveco: 504381868 / 5802513619 New Holland: 5802513619 / 84481762 Renault: 21574975 Volvo: 21574975 / 228151845 / 850211511	
VOLVO	TRX9519	3 – Pin variation – EURO 6 (Green) Albonair Volvo: <u>22209519</u> / 22608244 / 22610216 / 85022215	
VOLVO	TRX47045	3 Pin to a 4 Pin – CONVERSION KIT (Black)	 Black



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

VOLVO	TRX9517	4 – Pin variation – EURO 6 (Black) Albonair Albonair: P1205710 - E9300 Renault: 7422387866 / 7422209519 / 7422608252 7422610789 7485013805 / 7485020469 / 7485020667 7485021198 / 7485022216 Volvo: 21679299 / 21687873 / 21892627 / 22039620 22076542 / 22209517 / 22924489 / 23387854 23387865 / 85013391 / 85021199 / 85022215	
VOLVO	TRX47046	4 Pin to a 3 Pin - CONVERSION KIT (Green)	 Green



Dosing Modules

	Reference Number	Information	Image Reference
DAF MAN SCANIA	TRX16685	Dosing Module Bosch Bosch: 0444011005 / 0444011011 / 0444011013 0444011046 / 0444011022 / 0444011023 0444011024 / 0444011026 / DNX1/DM/24/9/S DAF: 1674654 / 1674661 / 1791538 / 1791539 / 1819790 MAN: 51154036000 / 51154036001 Scania: 1753208 / 2001791 / 2123834 Solaris: 0000.369.549 / 0120.306.500 VW: 2V5131113A	
DAF	TRX16687	Dosing Module – DAF EURO 6 CF / XF Bosch Bosch: 0444043007 / 0444043008 / 0444043018 0444043033 / 0444043034 / DNOX22/DM/72/S DAF: 1819798 Cummins: 2871878 / 2880156 / 2888173 / 2888174 / A028Y791 A030P707	
DAF JOHN DEERE	TRX1975291	Dosing Module – DAF EURO 6 LF Bosch AGCO: 837074845 / E842201110050 Bosch: 0444043045 / 0444043051 / 0444043054 / 444043073 0444043133 / 0444043140 / 0444043053 Cummins: 5305254 / A043C088 DAF: 1975291 John Deere: RE560468 KHD: 04604141 New Holland: 47715717	
DAF	TRX2115847	Bosch Dosing Pump – EURO 6 DAF: 2115847 / 4377649 / A050S572 / 530157 / 5578982 1900055 / 1930222	
MERC	TRX16683	Dosing Injector EURO 4 & 5 Mercedes: 0001402039 / 0001400239 / 0001400539 0001400739 / 0001402039 / 0001404139	



	Reference Number	Information	Image Reference
IVECO MERC RENAUL VOLVO	TRX30657	Dosing Module Bosch Bosch: 0444021024 / 0444023001 / 0444023008 0444023016 / 0444023017 / 0444023018 0444023019 / 0444023043 / 0444023048 0444023049 / 0444023050 / 0444023053 0444023056 / 0444023057 / 0444023062 0444023067 / 0444028008 / DNX2/DM/24/3/S DNX2/DM/24/6/S / DNX2/DM/24/9/S Case IH: 47511725 / 84136421 / 84248058 / 504381866 Iveco: 504145105 / 504193284 / 504365576 / 504381866 5801730657 Mercedes: 1644900513 / A1644900513 Renault: 7420766863 / 7420766866 / 7420766868 7420908943 / 7420908956 / 7420908958 7421234246 / 7421234248 / 7421738122 7421738134 Volvo: 21234247 / 21399653 / 21738132	
MERC	TRX1405439	Dosing Module – EURO 6 Mercedes: A0001405339 / A1402339 / A0001403339 A0001403939	

Iveco

	Reference Number	Information	Image Reference
IVECO	TRX16897	Dosing Module – Urea Pump Nozzle Bosch Bosch: 0444043162 / 0444043082 / 0444043016 Iveco: 612640130088 / 612640130089	

Scania

	Reference Number	Information	Image Reference
SCANIA	TRX2722701	AdBlue Dosing Module Scania: 095566 / 2238324 / 2238325 / 2722701	





Nox Sensors

DAF

	Reference Number	Information	Image Reference
	TRX90001	CF / LF / Cummins EURO 5 Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 33.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1702178 / 1703687 / 1705520 / 1705572 2894940 / 5WK96675A	
	TRX90002	CF / XF / Cummins EURO 6 - Post CAT Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1862931 / 1928760 / 1953530 / 2139930 4326476 / 4326769 / 4326868 / 5WK96752C 5WK96852B / 5WK97348A / A3C02726200-01	
	TRX90003	CF / XF / Cummins EURO 6 - Pre CAT Length (mm): 634 Cable Length (mm): 490 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1936258 / 1973527 / 2006245 / 2236408 A3C0472020-01	




TRX90004	CF / XF / Cummins EURO 6 - Pre CAT Length (mm): 939 Cable Length (mm): 695 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1936256 / 1973525 / 2006243 / 5WK97344B	
TRX90005	CF / XF / Cummins EURO 6 - Pre CAT Length (mm): 939 Cable Length (mm): 695 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 2236406 / SNS0344D	
TRX90006	LF / XF / 106 EURO 6 - Post CAT Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1710806 / 4326864 / 5WK96750C / A045S158	
TRX90007	LF / XF / 106 EURO 6 - Pre CAT Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1952565 / 1971946 / 2872945 / 2897309 4326470 / 4326862 / 5WK96751A / 5WK96751B 5WK96751C	



	TRX90008	XF105 / CF75 / CF85 EURO 5 - Post CAT Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1793378 / 1836059 / 2011648 / 5WK96619B 5WK96619C	
	TRX90009	XF105 / CF75 / CF85 EURO 5 - Post CAT Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 33.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1746581 / 1793380 / 1836061 / 2011650 5WK96626C	



	TRX90010	XF105 / CF75 / CF85 EURO 5 - Post CAT Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 33.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 DAF: 1697586 / 1793379 / 1836060 / 2011649 5WK96628A / 5WK96628C	
	TRX90020	XF / DAF NOx Sensor EURO 6 – Pre CAT Length (mm): Cable Length (mm): 490 Width (mm): Height (mm): Bore Ø (mm): Voltage (V): 24 Thread Size: Thread Pitch: Connectors: DAF: 5WK96661D / 2006245 / 1973527 / 1936258 / 1932603 / 2236408	

Isuzu

	Reference Number	Information	Image Reference
	TRX90601	N75 EURO 6 Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 28 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5 Isuzu: 47866868 / 8983023940 / 5WK97206A	



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

Nox Sensors

Iveco

	Reference Number	Information	Image Reference
	TRX90101	EUROCARGO / STRAILS / TECTOR Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 28 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5 Iveco: 8046503 / 8047374 / 41271167 / 42558451 5801273980 / 5801424181 / 5801754015 5WK96615C / 5WK96615E / 5WK96615F	
	TRX90102	EUROCARGO / STRAILS / TECTOR / TRAKKER Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5 Iveco: 5801443021 / 5801754016 / 5WK96733A 5WK96733B	



Nox Sensors


Iveco

Reference Number	Information	Image Reference
TRX90103	EUROCARGO / STRAILS / TECTOR EURO 6 Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5 Iveco: 5801627703 / 5801754014 / 5WK96775A	
TRX90104	STRAILS / TRAKKER / BUS Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 28 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5 Iveco: 5801429373 / 5801627702 / 5801777219 5WK96720 / 5WK96720A	



Nox Sensors

MAN

	Reference Number	Information	Image Reference
	TRX90201	JETLINER / LIONS CITY / LIONS REGIO Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 6 MAN: 51154080003 / 51154080007 / 51154080016 5WK96721A / 5WK96721B	
	TRX90202	JETLINER / LIONS CITY / TGM / TGL Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 6 MAN: 5115480003 / 5115480007 / 51154080016 5WK96721A / 5WK96721B	
	TRX90203	NEOPLAN Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 6 MAN: 51154080012 / 51154080019 / 5WK96790	



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

Nox Sensors

MAN

	Reference Number	Information	Image Reference
	TRX90204	TGA / TGS / TGX Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 28 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5 MAN: 51154080000 / 51154080004 / 51154080009 51154080015 / 81154080000 / 81154080004 5WK96618C / 5WK96618D	
	TRX90205	TGL / TGM / TGS / TGX Length (mm): 664 Cable Length (mm): 420 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 6 MAN: 51154080011 / 51154080018 / 5WK96783 5WK96783B	



Nox Sensors

Mercedes

	Reference Number	Information	Image Reference
	TRX90301	ACTROS / ATEGO / AXOR Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 28 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 5 Mercedes: 0061537328 / 0091533628 / A0091533628 5WK96616D / 5WK96616E / 5WK96616F	
	TRX90302	ACTROS / AXOR EURO 5 & 6 – Pre CAT Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0081539928 / 0101539428 / A0101539428 5WK96653C / A2C39121100-052C 5WK96652A	
	TRX90303	ACTROS / ANTOS / AXOR EURO 5 & 6 – Post CAT Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0101539528 / A0101539528 / 5WK96653 5WK96653B / 5WK96653C	



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

Nox Sensors

Mercedes

	Reference Number	Information	Image Reference
	TRX90304	ACTROS / AXOR EURO 5 & 6 – Post CAT Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0091530128 / 0101539628 / A0101539628 5WK96659B / 5WK96659C	
	TRX90305	ACTROS / ATEGO / CITARO – Post CAT Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0101531728 / A0101531728 / 5WK97332A A2C87396000-01	
	TRX90306	ACTROS – Post CAT Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0101531628 / A0101531628 / 5WK97330A A2C87396200-01	



Nox Sensors

Mercedes

	Reference Number	Information	Image Reference
	TRX90307	ACTROS / ATEGO / CITARO – Pre CAT Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0101531528 / A0101531528 / 5WK97330A A2C87396000-01	
	TRX90308	ACTROS / ANTOS / AXOR EURO 5& 6 – Pre CAT Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0081539828 / 0101539328 / A0101539328 5WK96642B / A2C39120900-042C 5WK96642 / 5WK96442A	
	TRX90309	ACTROS – Pre CAT Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0101531428 / A0101531428 / 5WK97329A A2C87396000-02	



Nox Sensors

Mercedes

	Reference Number	Information	Image Reference
	TRX90310	SPRINTER / VITO – Post CAT Length (mm): - Cable Length (mm): 390 Width (mm): - Height (mm): - Bore Ø (mm): 8 Voltage (V): 12 Thread Size: M18 Thread Pitch: 1.5 Connectors: 5 Mercedes: 0009053403 / A0009053403 / 5WK96681D	
	TRX90311	SPRINTER – Pre CAT Length (mm): - Cable Length (mm): 390 Width (mm): - Height (mm): - Bore Ø (mm): 8 Voltage (V): 12 Thread Size: M18 Thread Pitch: 1.5 Connectors: 5 Mercedes: 0009053403 / A0009053403 / 5WK96681D	
	TRX90312	SPRINTER BUS 4x4 Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Mercedes: 0009059112 / A0009059112 / SNS381B	
	TRX90313	SPRINTER 4x4 Mercedes: 5WK96682D / A0009053503 / A0035428818 A0009057000 / 0009055300	



Nox Sensors

Scania

	Reference Number	Information	Image Reference
	TRX90401	Series P, G, R, T & BUS F, K, N – EURO 5 Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 60 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Scania: 1392811 / 1782596 / 1872080 / 1908536 2020691 / 2247379 / 2296799 / 5WK96612B 5WK96612D / 5WK96612F	
	TRX90402	Series P, G, R, T & BUS K, N – EURO 5 & 6 Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 60 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Scania: 0712270 / 2247378 / 2296798 / 5WK96679C	



Transaxle

Remanufactured Commercial
Brake Calipers

OE NUMBERS USED FOR REFERENCE ONLY

Nox Sensors


Scania

	Reference Number	Information	Image Reference
	TRX90403	Series P, G, R, S, T & BUS F, K, N – EURO 6 Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Scania: 2064767 / 2064769 / 2247381 / 2294291 2296801 / 5WK96695B / 5WK96695C 5WK97401	
	TRX90404	Series P, G, R, S, T & BUS F, K, N – EURO 6 Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 41.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Scania: 2064768 / 2247380 / 2294290 / 2296800 5WK96694A / 5WK96694B / 5WK96694C 5WK97400	



Nox Sensors

Renault

	Reference Number	Information	Image Reference
	TRX90501	KERAX / MAGNUM / MIDLUM / PREMIUM / SHERPA LIGHT / CAESAR Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 33.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Renault: 7421984358 / 7422219283 / 7422315990 7422827993 / 7485133215 / 5WK96605C 5WK96664E / 5WK96717A / 5WK96717B 5WK97371	
	TRX90502	GAMME / KERAX / MIDLUM / PREMIUM Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Renault: 7421326719 / 7421691455 / 7422219284 7422315987 / 7422827995 / 5WK97372	
	TRX90503	GAMME C, D, T, K Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Renault: 7421531797 / 7422219281 / 7422315988 7422827991 / 5WK97368	



Nox Sensors


Volvo

	Reference Number	Information	Image Reference
	TRX90501	B5LH / B8R / B11R / B13R – EURO 5 & 6 FE / FH / FL / FM – EURO 5 & 6 Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 33.5 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Volvo: 20873117 / 20873395 / 21244501 21387788 / 21473997 / 21531794 21567736 / 21984358 / 22219283 22315990 / 22827993 / 22315990 22827993 / 5WK96605C / 5WK96664E 5WK97371 / 5WK96717A / 5WK96717B	
	TRX90502	FE / FH / FL / FM Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Volvo: 21326719 / 21474015 / 21531797 21691455 / 22219284 / 22315987 22827995 / 5WK97372	



Nox Sensors

Volvo

	Reference Number	Information	Image Reference
	TRX90503	FE / FH / FL / FM Length (mm): 833 Cable Length (mm): 590 Width (mm): 65 Height (mm): 38 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Volvo: 21040930 / 21474015 / 21531797 21567737 / 22219281 / 22315988 22827991 / 5WK97368	
	TRX90504	B5LH / TL / B8R / B11R – EURO 5 & 6 Length (mm): 1,133 Cable Length (mm): 890 Width (mm): 65 Height (mm): 36 Bore Ø (mm): 8 Voltage (V): 24 Thread Size: M20 Thread Pitch: 1.5 Connectors: 4 Volvo: 21558128 / 22219276 / 22315986 22827992 / 5WK97373	

Hino

	Reference Number	Information	Image Reference
	TRX90700	NOx Sensor Fitted for Hino Length (mm): 1145 Cable Length (mm): 890 Width (mm): - Height (mm): - Bore Ø (mm): - Voltage (V): 24 Thread Size: - Thread Pitch: - Connectors: - Miscellaneous: 5WK96786 / 89463-E0480	

Transaxle Ltd
Walstead Road West
Walsall, WS5 4NY
T: +44 1922 471300
F: +44 1922 725072
E: info@transaxle-ltd.co.uk

**We provide top quality
pumps and sensors**

<https://www.transaxlebrakecalipers.com>

Transaxle

