

# Transaxle



**01922 471 300**



**ADBLUE AND NOX CATALOGUE**

[www.transaxlebrakecalipers.com](http://www.transaxlebrakecalipers.com)

V2022.4

## CONTENTS

### ADBLUE PUMPS

-	DAF	2
-	IVECO	3
-	JOHN DEERE	4
-	MAN	5
-	MERCEDES	6
-	SCANIA	7
-	RENAULT	8 - 9
-	VOLVO	8 - 9

### ADBLUE DOSING MODULES 10 - 11

### NOX SENSORS

-	TECHNICAL INFO	12
-	DAF	13 - 15
-	ISUZU	16
-	IVECO	17
-	MAN	18 - 19
-	MERCEDES	20 - 22
-	SCANIA	23
-	RENAULT	24
-	VOLVO	25

## ADBLUE PUMPS

# DAF



### TRX1746 SERIES

#### Bosch Denoxtronic 1

#### TRX1746-1

Gen I

Bosch: 0444 010 009  
0444 010 020  
0444 010 036  
098644D002

DAF: 1674655  
1674660  
1693191  
1791540

EURO 5

#### TRX1746-2

Gen II

Bosch: 0444 010 012  
0444 010 021  
0444 010 033  
098644D004

DAF: 1738100  
1746947  
1791500  
1791542  
1818625



### TRX1705244

#### Emitec

EURO 5

ADL: 660613 / 5273338RC  
CES: A034J233  
Cummins: 4931694 / EOA9D9 / UDS2.5 / 5273338RX  
DAF: 1409391 / 1705244 / 5273338  
Dennis: 1138505 / 1612308  
Emitec: 5273338  
Grundfos: 4931694



### TRX1646

#### Bosch Denoxtronic 2.2

EURO 6

ADL: 662102  
Agrale: 60525001071001 / 6033001121007  
Bosch: 0444042067 / 0444042133 / 0444042137  
0444042073 / 0444042033 / 0444042003  
A0284793 / A052U285  
Cummins: 2871880 / 2880158 / 4387305/RX / 4387658/RX  
4387305 / 4387658 / A028Y93  
DAF: 1819797  
FAW: 1160010 / 116001AG682-0000 / 1161010-51B1B  
John Deere: RE553796 / 17011521743  
Volvo: 2871880/RX / 2871879 / 2871880

OE NUMBERS ARE USED FOR REFERENCE ONLY

## ADBLUE PUMPS

# IVECO



**TRX1766**

**Bosch Denoxtronic 1**

**EURO 5**

Bosch: 0444010008 / 098644D003  
 Iveco: 500059690 / 500061334 / 503138997  
 504200399




**TRX1856  
GEN I**

**Bosch Denoxtronic 2**

**EURO 5**

**Fits: Stralis / Trakker / Eurostar / Eurocargo**  
 Bosch: 0444022001 / 0444022019 / 098644D106  
 Case IH: 84136193  
 Iveco: 500059692 / 500061238 / 504145103  
 504193263 / 504365261



**TRX1856-2  
GEN II**

**Bosch Denoxtronic 2.2**

**EURO 5**

**Fits: Stralis / Trakker / Eurostar / Eurocargo**  
 Bosch: 0444022021 / 098644D131  
 Case IH: 84246892  
 Ford: 84246892 / DC465H297AA  
 Iveco: 500059694 / 500061240 / 504374326  
 New Holland: 84246892  
 Steyr: 842468920

**OE NUMBERS ARE USED FOR REFERENCE ONLY**

## ADBLUE PUMPS

# IVECO



### TRX1546

### Bosch Denoxtronic 2.2

EURO 6

Bosch: 0444042027 / 0444042031 / 0444042089  
0444042142 / 0444042155 / 0444042208  
098644D233 / DNXM/PM/24/W/S  
Case IH: 500059696 / 5043818680 / 050059696  
05043818680 / 84481762  
Fiat: 5802513619 / K5802513619  
Iveco: 504381868 / 5802513619  
New Holland: 5802513619 / 844 817 62  
Renault: 21574975  
Volvo: 21574975 / 228151845 / 850211511

# JOHN DEERE



### TRX1946

### Bosch Denoxtronic 2.2

Bosch: 0444042066 / 0444042188 / 0444042189  
098644D234 / DNOX22/PM/12/E/S  
SM22E/12/E/10/B  
John Deere: DZ119474 / DZ111283 / RE552175

OE NUMBERS ARE USED FOR REFERENCE ONLY

## ADBLUE PUMPS

# MAN



**TRX1756  
SERIES**

**Bosch Denoxtronic 1**

**TRX1756-1**

Gen I

Bosch: 0444 010 006  
0444 010 014  
0444 010 015  
0444 010 022

MAN: 81154036001 / 81154036005  
81154036021 / 81154036042  
81154036088 / 81154036092

**EURO 5 & 6**

**TRX1756-2**

Gen II

Bosch: 0444 010 011  
0444 010 013  
0444 010 024  
0444 010 026  
0444 010 037

MAN: 81154036016 / 81154036028  
81154036090 / 81154036098  
81154036099  
VW: 2V5131969A



**TRX9146**

**Emitec**



**EURO 6**

MAN: 81154036095 / 81154036097 / 81154036100  
81154036115 / 81154036117 / 81154036118  
81154036134 / 81154036138 / 81154036139  
81154036157 / 81154039139 / 81154039146

**OE NUMBERS ARE USED FOR REFERENCE ONLY**

## ADBLUE PUMPS

## MERCEDES

 <p><b>TRX9378</b></p>	<p style="text-align: right;"><b>EURO 4 &amp; 5</b></p> <p>Hilite: 13150758 / HR13150758</p> <p>Mercedes: A0001400078 / A0001400178 / A0001400278 A0001400378 / A0001400478 / A0001400578 A0001400978 / A0001401578 / A0001402578 A0001402778 / A0001404478</p> <p>Optare: 29195036</p>
 <p><b>TRX9478</b></p>	<p style="text-align: right;"><b>EURO 6</b></p> <p>Mercedes: A0001402378 / A0001403978 A0001405378 / A0001405578 / A0001405978 A0001407878 / A0001407978 / A0001408178</p>

OE NUMBERS ARE USED FOR REFERENCE ONLY

## ADBLUE PUMPS

# SCANIA



**TRX1776**

**Bosch Denoxtronic 1**

**EURO 5**

Bosch: 0444010035 / 0444010038 / 098644D007

Scania: 1772499 / 1794992 / 1855402  
1855403 / 1884220 / 1884225



**TRX9578**

**EURO 6**

Scania: 2009872 / 2057543 / 2182737  
2549339 / 2655852 / 13151615

**OE NUMBERS ARE USED FOR REFERENCE ONLY**



## ADBLUE PUMPS

## RENAULT / VOLVO

 <p><b>TRX1866 GEN I</b></p>	<p><b>Bosch Denoxtronic 2</b> <span style="float: right;"><b>EURO 5</b></span></p> <p>Bosch: 0444022002 / 0444022004 / 0444022005 0444022039 / 098644D103 / 098644D119</p> <p>Renault: 7420766847 / 7420908735 / 7420975638 7420975695 / 7421002997 / 7421161862</p> <p>Volvo: 20908711 / 20975638 / 21002996 / 21161861</p>
 <p><b>TRX1866-2 GEN II</b></p>	<p><b>Bosch Denoxtronic 2</b> <span style="float: right;"><b>EURO 5</b></span></p> <p>Bosch: 0444022022 / 0444022033 / 0444022074 098644D110</p> <p>Renault: 7421350673 / 7421582905 / 7421687109 7421911394 / 7422169013 / 7422668889</p> <p>Volvo: 21350672 / 21582902 / 21687107 / 21911392 21966582 / 22169014 / 22668890 / 85020843</p>
 <p><b>TRX1546</b></p>	<p><b>Bosch Denoxtronic 2.2</b> <span style="float: right;"><b>EURO 5 &amp; 6</b></span></p> <p>Bosch: 0444042027 / 0444042031 / 0444042089 0444042142 / 0444042155 / 0444042208 098644D233 / DNXM/PM/24/W/S</p> <p>Case IH: 500059696 / 5043818680 / 050059696 05043818680 / 84481762</p> <p>Fiat: 5802513619 / K5802513619</p> <p>Iveco: 504381868 / 5802513619</p> <p>New Holland: 5802513619 / 844 817 62</p> <p>Renault: 21574975</p> <p>Volvo: 21574975 / 22851845 / 85021151</p>

OE NUMBERS ARE USED FOR REFERENCE ONLY

## ADBLUE PUMPS

## RENAULT / VOLVO

3 pins



**TRX9519**

3- Pin variation

EURO 6

Volvo: 22209519 / 22608244 / 22610216

*PLEASE CHECK IF YOU HAVE A 3 PIN or 4 PIN VERSION*

4 pins



**TRX9517**

4- Pin variation

EURO 6

Renault: 7422387866 / 7422209519 / 7422608252  
7422610789 / 7485013805 / 7485020469  
7485020667 / 7485021198 / 7485022216

Volvo: 21679299 / 21687873 / 21892627 / 22039620  
22076542 / 22209517 / 22924489 / 23387854  
23387865 / 85013391 / 85021199 / 85022215

*PLEASE CHECK IF YOU HAVE A 3 PIN or 4 PIN VERSION*

OE NUMBERS ARE USED FOR REFERENCE ONLY

## DOSING MODULES



**TRX16685**

### Dosing Module

Bosch: 0444011005 / 0444011011 / 0444011013  
 0444011016 / 0444011022 / 0444011023  
 0444011024 / 0444011026 / DNX1/DM/24/9/S

DAF: 1674654 / 1674661 / 1791538 / 1791539  
 1819790

MAN: 51154036000 / 51154036001

Scania: 1753208 / 2001791 / 2123834

Solaris: 0000.369.549 / 0120.306.500

VW: 2V5131113A



**TRX16687**

### Dosing Module

#### DAF EURO 6 CF / XF

Bosch: 0444043007 / 0444043008 / 0444043018  
 0444043033 / 0444043034 / DNOX22/DM/72/S

DAF: 1819798

Cummins: 2871878 / 2880156 / 2888173  
 2888174 / A028Y791 / A030P707



**TRX1975291**

### Dosing Module

#### DAF EURO 6 LF

AGCO: 837074845 / E842201110050

Bosch: 0444043045 / 0444043051 / 0444043054  
 0444043073 / 0444043133 / 0444043140

Cummins: 5305254 / A043C088

DAF: 1975291

John Deere: RE560468

KHD: 04604141

New Holland: 47715717

## DOSING MODULES



**TRX30657**

### Dosing Module

Bosch: 0444021024 / 0444023001 / 0444023008  
0444023016 / 0444023017 / 0444023018  
0444023019 / 0444023043 / 0444023048  
0444023049 / 0444023050 / 0444023053  
0444023056 / 0444023057 / 0444023062  
0444023067 / 0444028008 / DNX2/DM/24/3/S  
DNX2/DM/24/6/S / DNX2/DM/24/9/S

Case IH: 47511725 / 84136421 / 84248058 / 504381866

Iveco: 504145105 / 504193284 / 504365576  
504381866 / 5801730657

Mercedes: 1644900513 / A1644900513

Renault: 7420766863 / 7420766866 / 7420766868  
7420908943 / 7420908956 / 7420908958  
7421234246 / 7421234248 / 7421738122  
7421738134

Volvo: 21234247 / 21399653 / 21738132



**TRX16683**

### EURO 4 & 5

Mercedes: 0001402039 / 0001400239 / 0001400539  
0001400739 / 0001402039 / 0001404139



## NOX SENSORS

## TECHNICAL

### FITMENT

Installation of a NOx sensor should only be carried out by a qualified Auto Electrician and several steps should be followed for the NOx sensors to function correctly.

Before installation;

- Check the fitment location to see if a Pre or Post Cat sensor is required
- Ensure you have the correct OEM number for the vehicle application
- Clear all fault codes from the vehicle ECU
- Inspect the old NOx sensor being replaced for signs of excess ash/soot on the probe, this may indicate poor engine operation or a faulty DPF. In both cases, the issue must be resolved before installation, or the new NOx sensor will not operate correctly
- Do not place the NOx sensor cable under any unnecessary stress, such as coiling it around the sensor, tying it in a knot or exposing the wires under the protective sheath

During installation;

- Please ensure the new NOx sensor is fitted in the correct position as specified by the OEM, clear of any moisture that can pool in the bottom of the exhaust
- Do not put the NOx sensor cable under any tension, some slack should remain in the cable
- Check the correct voltage is being supplied to the NOx sensor, if the voltage is low the sensor will not function; also any sudden voltage spikes will damage the sensor. In both cases, the issue must be resolved before installation

### WARRANTY


In the unlikely event of a warranty issue with your NOx sensor, please contact the sales team on 01922471300 and request a Warranty form. Please fill out as much information as possible on the form. You can also download a warranty form from our website [www.transaxlebrakecalipers.com/old-core-returns-of-reconditioned-brake-calipers](http://www.transaxlebrakecalipers.com/old-core-returns-of-reconditioned-brake-calipers)

Please be aware, certain actions taken during storage or install may also void any warranty. Below are some examples of warranty rejections;

- Incorrect application
- Signs of excessive force used during the installation process
- Exposure to moisture, chemicals or cleaning agents
- Damage to the protective cable sheath or wiring
- Evidence of excess soot or ash on the sensor probe



- Excessive soot/ash



- Damaged sensor thread and nut





Cause: Excessive force



- Damaged sheath and/or wiring





## NOX SENSORS

## DAF

 <p><b>TRX90001</b></p>	<p align="center"><b>CF / LF / CUMMINS EURO 5</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 33.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i>            1702178 / 1703687 / 1705520 / 1705572            2894940 / 5WK96675A</p>
 <p><b>TRX90002</b></p>	<p align="center"><b>CF / XF / CUMMINS EURO 6 - POST CAT</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i>            1862931 / 1928760 / 1953530 / 2139930            4326476 / 4326769 / 4326868 / 5WK96752C            5WK96852B / 5WK97348A / A3C02726200-01</p>
 <p><b>TRX90003</b></p>	<p align="center"><b>CF / XF / CUMMINS EURO 6 - PRE CAT</b></p> <p>Length (mm): 634            Cable length: 490            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i>            1936258 / 1973527 / 2006245 / 2236408            A3C0472020-01</p>
 <p><b>TRX90004</b></p>	<p align="center"><b>CF / XF / CUMMINS EURO 6 - PRE CAT</b></p> <p>Length (mm): 939            Cable length: 695            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i>            1936256 / 1973525 / 2006243 / 5WK97344B</p>



## NOX SENSORS

## DAF

 <p><b>TRX90005</b></p>	<p align="center"><b>CF / XF / CUMMINS EURO 6 - PRE CAT</b></p> <p>Length (mm): 939            Cable length: 695            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>2236406 / SNS0344D</p>
 <p><b>TRX90006</b></p>	<p align="center"><b>LF / XF / 106 EURO 6 - POST CAT</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>1710806 / 4326864 / 5WK96750C /            A045S158 / A2C95992900</p>
 <p><b>TRX90007</b></p>	<p align="center"><b>LF / XF / 106 EURO 6 - PRE CAT</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>1952565 / 1971946 / 2872945            2897309 / 4326470 / 4326862 / 5WK96751A            5WK96751B / 5WK96751C</p>
 <p><b>TRX90008</b></p>	<p align="center"><b>XF105 / CF75 / CF85 EURO 5 - POST CAT</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>1793378 / 1836059 / 2011648 /            5WK96619B / 5WK96619C</p>

## NOX SENSORS

## DAF

 <p><b>TRX90009</b></p>	<p><b>XF105 / CF75 / CF85 EURO 5 - POST CAT</b></p> <p>Length (mm): 1,133                  Cable length: 890                  Width (mm): 65                  Height (mm): 33.5                  Bore Ø (mm): 8                  Voltage (V): 24                  Thread Size: M20                  Thread Pitch: 1.5                  Connectors: 4</p> <p><i>OE numbers are used for reference only</i>                  1746581 / 1793380 / 1836061 / 2011650                  5WK96626C</p>
 <p><b>TRX90010</b></p>	<p><b>XF105 / CF75 / CF85 EURO 5 - PRE CAT</b></p> <p>Length (mm): 1,133                  Cable length: 890                  Width (mm): 65                  Height (mm): 33.5                  Bore Ø (mm): 8                  Voltage (V): 24                  Thread Size: M20                  Thread Pitch: 1.5                  Connectors: 4</p> <p><i>OE numbers are used for reference only</i>                  1697586 / 1793379 / 1836060 / 2011649                  5WK96628A / 5WK96628C</p>



## NOX SENSORS

## ISUZU







**TRX90601**

**N75 EURO 6**

Length (mm): 833  
Cable length: 590  
Width (mm): 65  
Height (mm): 28  
Bore Ø (mm): 8  
Voltage (V): 24  
Thread Size: M20  
Thread Pitch: 1.5  
Connectors: 5

*OE numbers are used for reference only*

47866868 / 8983023940 / 5WK97206A

 <p><b>TRX90101</b></p>	<p><b>EUROCARGO / STRALIS / TECTOR</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 28            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 5</p> <p><i>OE numbers are used for reference only</i></p> <p>8046503 / 8047374 / 41271167 / 42558451            5801273980 / 5801424181 / 5801754015            5WK96615C / 5WK96615E / 5WK96615F</p>
 <p><b>TRX90102</b></p>	<p><b>EUROCARGO / STRALIS / TECTOR / TRAKKER</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 36            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 5</p> <p><i>OE numbers are used for reference only</i></p> <p>5801443021 / 5801754016            5WK96733A / 5WK96733B</p>
 <p><b>TRX90103</b></p>	<p><b>EUROCARGO / STRALIS / TECTOR EURO6</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 36            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 5</p> <p><i>OE numbers are used for reference only</i></p> <p>5801627703 / 5801754014 / 5WK96775A</p>
 <p><b>TRX90104</b></p>	<p><b>STRALIS / TRAKKER / BUS</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 28            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 5</p> <p><i>OE numbers are used for reference only</i></p> <p>5801429373 / 5801627702 / 5801777219            5WK96720 / 5WK96720A</p>

 <p><b>TRX90201</b></p>	<p align="center"><b>JETLINER / LIONS CITY / LIONS REGIO</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 36            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 6</p> <p><i>OE numbers are used for reference only</i></p> <p>51154080008 / 51154080017 /            5WK96722 / 5WK96722B</p>
 <p><b>TRX90202</b></p>	<p align="center"><b>JETLINER / LIONS CITY / TGM / TGL</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 38            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 6</p> <p><i>OE numbers are used for reference only</i></p> <p>51154080003 / 51154080007 / 51154080016            5WK96721A / 5WK96721B</p>
 <p><b>TRX90203</b></p>	<p align="center"><b>NEOPLAN</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 38            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 6</p> <p><i>OE numbers are used for reference only</i></p> <p>51154080012 / 51154080019            5WK96790 / 5WK96790B</p>
 <p><b>TRX90204</b></p>	<p align="center"><b>TGA / TGS / TGX</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 28            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 5</p> <p><i>OE numbers are used for reference only</i></p> <p>51154080000 / 51154080004 / 51154080009            51154080015 / 81154080000 / 81154080004            5WK96618C / 5WK96618D</p>

## NOX SENSORS

## MAN



**TRX90205**

Length (mm): 664  
Cable length: 420  
Width (mm): 65  
Height (mm): 36  
Bore Ø (mm): 8  
Voltage (V): 24  
Thread Size: M20  
Thread Pitch: 1.5  
Connectors: 6

**TGL / TGM / TGS / TGX**

*OE numbers are used for reference only*

51154080011 / 51154080018  
5WK96783 / 5WK96783B

 <p><b>TRX90301</b></p>	<p style="text-align: center;"><b>ACTROS / ATEGO / AXOR</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 28            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 5</p> <p><i>OE numbers are used for reference only</i></p> <p>0061537328 / 0091533628 / A0091533628            5WK96616D / 5WK96616E / 5WK96616F</p>
 <p><b>TRX90302</b></p>	<p style="text-align: center;"><b>ACTROS / AXOR EURO 5-6 - PRE CAT</b></p> <p>Length (mm): 1133            Cable length: 890            Width (mm): 65            Height (mm): 38            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>0081539928 / 0101539428 / A0101539428            A2C39121100-052C            5WK96652A / 5WK96652B</p>
 <p><b>TRX90303</b></p>	<p style="text-align: center;"><b>ACTROS / ANTOS / AXOR EURO 5-6 - POST CAT</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 38            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>0101539528 / A0101539528            5WK96653 / 5WK96653B / 5WK96653C</p>
 <p><b>TRX90304</b></p>	<p style="text-align: center;"><b>ACTROS / AXOR EURO 5-6 - POST CAT</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 38            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>0091530128 / 0101539628 / A0101539628            5WK96659B / 5WK96659C</p>

## NOX SENSORS

## MERCEDES

 <p><b>TRX90305</b></p>	<p align="center"><b>ACTROS / ATEGO / CITARO - POST CAT</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>0101531728 / A0101531728 / A2C87396000-01            5WK97332A</p>
 <p><b>TRX90306</b></p>	<p align="center"><b>ACTROS - POST CAT</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>0101531628 / A0101531628 / A2C87396200-01            5WK97331A</p>
 <p><b>TRX90307</b></p>	<p align="center"><b>ACTROS / ATEGO / CITARO - PRE CAT</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>0101531528 / A0101531528 / A2C87396000-01            5WK97330A</p>
 <p><b>TRX90308</b></p>	<p align="center"><b>ACTROS / ANTOS / AXOR EURO 5-6 - PRE CAT</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 38            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>0081539828 / 0101539328 / A0101539328            A2C39120900-042C            5WK96642 / 5WK96442A / 5WK96642B</p>



## NOX SENSORS

## MERCEDES

 <p><b>TRX90309</b></p>	<p style="text-align: center;"><b>ACTROS - PRE CAT</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>0101531428 / A0101531428 / A2C87396000-02            5WK97329A</p>
 <p><b>TRX90310</b></p>	<p style="text-align: center;"><b>SPRINTER / VITO - POST CAT</b></p> <p>Length (mm):            Cable length: 390            Width (mm):            Height (mm):            Bore Ø (mm): 8            Voltage (V): 12            Thread Size: M18            Thread Pitch: 1.5            Connectors: 5</p> <p><i>OE numbers are used for reference only</i></p> <p>0009058411 / A0009058411 / A000905841180            0009059603 / 5WK96681E</p>
 <p><b>TRX90311</b></p>	<p style="text-align: center;"><b>SPRINTER - PRE CAT</b></p> <p>Length (mm):            Cable length: 390            Width (mm):            Height (mm):            Bore Ø (mm): 8            Voltage (V): 12            Thread Size: M18            Thread Pitch: 1.5            Connectors: 5</p> <p><i>OE numbers are used for reference only</i></p> <p>0009053403 / A0009053403            5WK96681D</p>
 <p><b>TRX90312</b></p>	<p style="text-align: center;"><b>SPRINTER BUS 4 x 4</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 38            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>0009059112 / A0009059112 / SNS381B</p>

## NOX SENSORS

## SCANIA

 <p><b>TRX90401</b></p>	<p align="center"><b>SERIES P,G,R,T &amp; BUS F,K,N - EURO 5</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 60            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>1392811 / 1782596 / 1872080 / 1908536            2020691 / 2247379 / 2296799            5WK96612B / 5WK96612D / 5WK96612F</p>
 <p><b>TRX90402</b></p>	<p align="center"><b>SERIES P,G,R,T &amp; BUS K,N - EURO 5-6</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 60            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>0712270 / 2247378 / 2296798            5WK96679C</p>
 <p><b>TRX90403</b></p>	<p align="center"><b>SERIES P,G,R,S,T &amp; BUS F,K,N - EURO 6</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>2064767 / 2064769 / 2247381 / 2294291            2296801 / 5WK96695B / 5WK96695C            5WK97401</p>
 <p><b>TRX90404</b></p>	<p align="center"><b>SERIES P,G,R,S,T &amp; BUS F,K,N - EURO 6</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 41.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>2064768 / 2247380 / 2294290 / 2296800            5WK96694A / 5WK96694B            5WK96694C / 5WK97400</p>



 <p><b>TRX90501</b></p>	<p><b>KERAX / MAGNUM / MIDLUM / PREMIUM / SHERPA LIGHT / CAESAR</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 33.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>7421984358 / 7422219283 / 7422315990            7422827993 / 7485133215 / 5WK96605C            5WK96664E / 5WK96717A / 5WK96717B            5WK97371</p>
 <p><b>TRX90502</b></p>	<p><b>GAMME / KERAX / MIDLUM / PREMIUM</b></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 36            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>7421326719 / 7421691455 / 7422219284            7422315987 / 7422827995 / 5WK97372</p>
 <p><b>TRX90503</b></p>	<p><b>GAMME C,D,T,K</b></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 38            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p><i>OE numbers are used for reference only</i></p> <p>7421531797 / 7422219281 / 7422315988            7422827991 / 5WK97368</p>

## NOX SENSORS

## VOLVO

 <p><b>TRX90501</b></p>	<p><b>B5LH / B8R / B11R / B13R (EURO 5-6)</b>  <b>FE / FH / FL / FM (EURO 5-6)</b>  <i>OE numbers are used for reference only</i></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 33.5            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p>20873117 / 20873395 / 21244501 / 21387788            21473997 / 21531794 / 21567736 / 21984358            22219283 / 22315990 / 22827993 / 22315990            22827993 / 5WK96605C / 5WK96664E            5WK96717A / 5WK96717B / 5WK97371</p>
 <p><b>TRX90502</b></p>	<p><b>FE / FH / FL / FM</b>  <i>OE numbers are used for reference only</i></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 36            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p>21326719 / 21474017 / 21567742 / 21691455            22219284 / 22315987 / 22827995            5WK97372</p>
 <p><b>TRX90503</b></p>	<p><b>FE / FH / FL / FM</b>  <i>OE numbers are used for reference only</i></p> <p>Length (mm): 833            Cable length: 590            Width (mm): 65            Height (mm): 38            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p>21040930 / 21474015 / 21531797 / 21567737            22219281 / 22315988 / 22827991            5WK97368</p>
 <p><b>TRX90504</b></p>	<p><b>B5LH / TL / B8R / B11R (EURO 5-6)</b>  <i>OE numbers are used for reference only</i></p> <p>Length (mm): 1,133            Cable length: 890            Width (mm): 65            Height (mm): 36            Bore Ø (mm): 8            Voltage (V): 24            Thread Size: M20            Thread Pitch: 1.5            Connectors: 4</p> <p>21558128 / 22219276 / 22315986 / 22827992            5WK97373</p>

**TRANSAXLE LTD  
WALSTEAD ROAD WEST  
WALSALL  
WS5 4NY  
U.K**

**Tel : 01922 471300**

**Fax : 01922 725072**

**EMAIL**

**meddings@transaxle-ltd.co.uk**

**WEBSITE**

**<http://www.transaxlebrakecalipers.com>**